



South Carolina EACH Mom & Baby Collaborative

**Expanding Access to
Community Health
workers (EACH) in the
Perinatal Period**

**A guide for replicating
successful models of
perinatal community
health workers**



CENTER FOR
COMMUNITY HEALTH
ALIGNMENT




Contents

Overview of Community Health Workers.....	3
What is a Community Health Worker?	3
What does a Community Health Worker do?	4
What do we know about the effectiveness of CHWs?	4
Why focus on the perinatal period?	6
Perinatal Community Health Worker programs that work in South Carolina	10
1. Best practices	18
2. Ideal fit.....	26
3. Resources required.....	28
4. Data and evaluation	30
Mentoring and support	34

Overview of Community Health Workers

What is a Community Health Worker?

You may know community health workers (CHWs) by many different names:



Lay Health Advisor

Peer Counselor

Outreach Worker

Patient Advocate

Promotores

Community birth worker

Patient Navigator

Home Visitor


CHW is the umbrella term for all these roles. The [American Public Health Association's definition of a CHW](#), endorsed by the National Association of CHWs, is:

A community health worker is a frontline public health worker who is a trusted member of and/or has an unusually close understanding of the community served.

This trusting relationship enables the worker to serve as a liaison/link/intermediary between health/social services and the community to facilitate access to services and improve the quality and cultural competence of service delivery.

A CHW also builds individual and community capacity by increasing health knowledge and self-sufficiency through a range of activities such as outreach, community education, informal counseling, social support, and advocacy.

CHWs build bridges between health and social service systems and the communities in which they live and work. Their trust and lived experience in the communities helps them bring health information and support to patients and clients. And they feed that awareness and understanding back into the systems that they serve, improving the quality and effectiveness of those services.



Adapted from Brooks et al (2018)

What does a Community Health Worker do?

Because their work is participant-centered and responsive to the needs of each individual, what a CHW does on each day may be very different. The [CHW Core Consensus project](#), using a participatory, consensus building process, helped define overall CHW core roles. They are:

Core CHW Roles
Cultural mediation among individuals, communities, and health and social service systems
Providing culturally appropriate health education and information
Care coordination, case management, and system navigation
Providing coaching and social support
Advocating for individuals and communities
Building individual and community capacity
Providing direct service
Implementing individual and community assessments
Conducting outreach
Participating in evaluation and research

What do we know about the effectiveness of CHWs?

Because there is so much variation the design and purpose of CHW care models, it can be difficult to summarize the evidence of the CHW approach to care. However, with improved definition of their roles and skills, there is a growing base of evidence showing the value and effectiveness of the CHW approach. To date, there have been many systematic reviews published in peer-reviewed journals¹⁻¹² and over a dozen published randomized control trials¹³⁻²⁴ that have found positive outcomes associated with CHW interventions in such fields as diabetes management, cancer screenings, and cardiovascular care.

Many professional organizations and leaders in the public health field recognize the potential of CHWs to not only improve health outcomes, but also be an important part of creating more equity in public health. Some examples include:

- In its 2003 report, “[Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care](#),” the Institute of Medicine, supports expanding, evaluating, and replicating the use of CHWs in underserved and racial and ethnic minority populations. “**Community health workers offer promise as a community-based resource to increase racial and ethnic minorities' access to health care and to serve as a liaison between healthcare providers and the communities they serve**”^{25,26}.
- A 2018 report from the [American Hospital Association and National Urban League](#), citing earlier literature reviews by the [Institute for Clinical and Economic Review](#) and the [Agency for Healthcare Research and Quality](#), stated, “**A majority of published studies show a positive impact of CHW-based interventions on health outcomes or resource utilization, relative to limited interventions or usual care**”^{12,27,28}.
- [The Community Preventive Services Task Force](#) finds **strong evidence of effectiveness for interventions that engage community health workers in a team-based care model** in several areas:
 - Strong evidence of effectiveness for interventions that engage CHWs to **improve blood pressure and cholesterol** in patients at increased risk for cardiovascular disease.²⁹
 - Strong evidence of effectiveness in **improving glycemic and lipid control and reducing healthcare use** among participants with diabetes.³⁰
 - Strong evidence of effectiveness of interventions that engage CHWs in **increasing screenings for breast, cervical, and colorectal screenings**.³¹⁻³³
 - Sufficient evidence of effectiveness in improving glycemic control and weight-related outcomes among people at increased risk for type 2 diabetes.³⁴
 - Overall, the weight of evidence indicates that all these CHW interventions are **cost-effective**, with the exception breast cancer screenings.³¹⁻³³
- The CDC has created a [Best Practice Strategy for CHWs in their Division for Heart Disease and Stroke Prevention](#), stating, “**Integrating CHWs on clinical care teams and in the community is an effective strategy for increasing patient knowledge and medication adherence and lowering blood pressure and cholesterol levels among diverse populations and in various settings.**” It has also invested in the CHW approach during the COVID response, including [the CARES Act](#).

In South Carolina, the [Center for Community Health Alignment's](#) mission to use evidence-based models and meaningful community engagement strategies to address health inequities, including training CHWs and providing technical assistance to organizations to integrate them effectively.


Why focus on the perinatal period?

The health of infants and mothers serves as an indicator of the overall health of a community. Although the perinatal period has unique health risks, it also offers exciting opportunities to engage with families about their health.


In South Carolina, 364 babies died before they reached their first birthday in 2020, and approximately 14 pregnant or postpartum mothers died, meaning one baby dies every day and one mom dies every month in this state³⁵.

South Carolina's infant mortality rate is 6.5 per 1,000 live births³⁵.

- The US's national rate is 5.6³⁶. If South Carolina had the same infant mortality rate as the US, approximately 50 fewer babies would die in our state each year.
- For an international comparison, the United Kingdom's rate of infant mortality is 3.7 per 1,000 live births³⁷; achieving that rate in South Carolina would save approximately 200 babies' lives every year.
- There are significant racial disparities in infant mortality rates, with African-American babies dying at a rate almost three times that of white babies (10.8 infant deaths per 1,000 live births compared to 4.5).



To understand infant health better, it's helpful to look at prematurity and low birthweight, which was the leading cause of infant death in South Carolina in 2019³⁵. In 2020, 11.9% of babies in South Carolina were born preterm (<37 weeks gestation), compared to 10.1% in the US³⁵.



Birth outcomes reflect a complex combination of lifelong and socio-environmental health, not often easily addressed during the perinatal period alone.

Factors associated with higher rates of preterm birth in South Carolina

- Diabetes and hypertension - both chronic and pregnancy-associated
- African-American race
- Mothers who use tobacco during pregnancy
- Mothers 35+ years old
- Mothers who were obese prior to pregnancy
- Mothers who were unmarried
- Medicaid eligibility
- Mothers with less than high school education

Factors not associated with higher rates of preterm birth

- “Less than adequate” prenatal care
- Adolescent mothers
- Mothers who were overweight prior to pregnancy
- Latina ethnicity
- White race

Racial disparities in birth outcomes have been particularly persistent, with African-American mothers experiencing higher rates of prematurity than white and Latinx mothers even when they don’t have other risk factors:

African-American moms who:

- Don’t use tobacco
- Are under 35 years old
- Are not obese or overweight
- Are married
- Have private insurance
- Have high school education or more

Have higher preterm birth rates than

White moms who:

- Use tobacco during pregnancy
- Are 35 years or older
- Are obese
- Are unmarried
- Are Medicaid-eligible
- Haven’t graduated high school

Looking at the well-being of mothers, South Carolina’s pregnancy-related mortality rate (the number of mothers who die while pregnant or up to one year postpartum per 100,000 live births) in 2018 was 35.5 deaths per 100,000 live births, compared to 17.3 in the US³⁸. For international context, the United Kingdom’s rate is 7 deaths per 100,000 live births³⁹.

As with infant health, there are distinct racial inequities in maternal mortality in South Carolina – the rate was 2.6 times higher for African-American (and other races) mothers compared to white women (43.3. vs. 16.4 maternal deaths per 100,000 live births, respectively)⁴⁰. The most common causes of these deaths were hemorrhage, infections, cardiac conditions or myopathy, and mental health conditions, and the South Carolina Morbidity and Mortality Review Committee determined that up to three-fourths of pregnancy-related deaths were preventable³⁸. Of note, they found that discrimination played a role in 52% of maternal deaths. In addition, the rates of severe maternal morbidity (life-threatening labor and delivery outcomes) follow similar patterns, with African-American women experiencing approximately twice the rates of white mothers⁴¹.



It’s clear that improving birth outcomes, and particularly racial inequities in birth outcomes, is a complicated and dynamic challenge that may not be solved through clinical care, behavioral change, or social services alone. That is a reason that pairing perinatal families with CHWs is a promising intervention – CHWs tailor their efforts to each family’s own

strengths, aspirations, and needs, and can help each family navigate through the intense adjustments of the perinatal period and services available to them.

At the same time, CHWs provide valuable insight for clinical systems and community organizations to improve their services for their population of interest. CHWs have a profound knowledge, through their work and lived experience, of the impact of programs and policies, and can help shape them to be more equitable and effective. This is particularly important for perinatal services, in which the US invests billions in healthcare and social services.

What is the evidence behind CHWs during the perinatal period?

Much of the [research on perinatal community health workers](#) (PCHWs) comes from low- and middle-income countries, where PCHW interventions have been associated with decreases in neonatal mortality and fetal deaths,^{4,7,42} increased breastfeeding and immunizations,⁷ increased “appropriate care seeking” for illness and implications, and improved child nutrition status.⁴³ The World Health Organization has developed several guides for using perinatal CHWs as an important component of reproductive, maternal and newborn healthcare.⁴⁴⁻⁴⁸

There is emerging data from the US as well. It includes:

- A randomized control trial (RCT) of the Maternal Infant Health Outreach Worker program in Tennessee, which found increased rates of breastfeeding duration and safe sleep practices, improved mental health, and increased connections with needed resources at 15 months postpartum among Latinx families randomized to PCHW care⁴⁹.
- An evaluation of the “[Safe Start](#)” program in Philadelphia, where pregnant women with chronic health conditions have PCHW care that results in lower odds of inadequate prenatal care, lower rates of inpatient admission or triage visits during pregnancy, and higher odds of attendance at the postpartum visit and using postpartum contraception than a comparison group⁵⁰.
- An evaluation of the [Baby Love program in Rochester](#) found PCHW clients had fewer adverse outcomes such as preterm birth and low birthweight, and higher rates of postpartum visit attendance and well-child care, than non-participants⁵¹.
- The [Health Start](#) PCHW program in Arizona is associated with significantly lower rates of low birthweight than a comparison group among mothers who are American Indians, Latinas, teens, or have pre-existing health conditions^{52,53}.
- Studies in Minnesota that indicated an association between community-based doulas and lower rates of preterm births and c-sections, increased rates of breastfeeding, and decreased costs compared to births without doulas.^{54,55}
- An RCT of a community-based doula program indicated it was associated with increased breastfeeding rates and delayed solid food introduction,¹⁶ as well as a positive impact on parent–child interactions, maternal attitudes about parenting practices, and a delayed impact on reducing maternal stress; however, the impact on parenting skills diminished after the end of the intervention.⁵⁶
- The [Community Health Access Project in Ohio](#), which found perinatal CHWs were associated with lower risks of low birthweight, compared to a matched cohort.⁵⁷

Perinatal Community Health Worker programs that work in South Carolina

Fortunately, South Carolina has three local Perinatal Community Health Worker (PCHW) models that are experienced and effective at improving birth outcomes.



Doulas as CHWs

BirthMatters' community-based doulas provide individually tailored, culturally congruent care and advocacy for pregnant and postpartum participants through information, education, and physical, social, and emotional support. BirthMatters replicates HealthConnect One's community-based doula model to reach expectant mothers in Spartanburg who are Medicaid-eligible and less than 24 years old. Starting by 24 weeks gestation through the first postpartum year, a community-based doula meets with her client approximately 45 times, in their home or in the healthcare setting. In addition, they provide continuous support during labor and delivery.



Potential participants connect with the BirthMatters team through three main pathways. The first, and most common source of new participants, is a well-established “closed-loop” referral process between BirthMatters and the main obstetrical care provider in their area that accepts Medicaid. The second most common source of new participants is word of mouth in the community, followed by social media.

The first step in developing a community-based doula program is to organize a 54-hour community doula training. This training is open to members of the community of focus, and attendees receive a stipend for their participation. The BirthMatters team invites experts to facilitate discussions on childbirth, communication, infant feeding, patient activation, and more. Attendees observe at least three births. BirthMatters hires new doulas from those who complete this training, and they then go through orientation, followed by ongoing reflective supervision and leadership development. An experienced community-based doula manages a caseload of 18-20 clients per year.

The BirthMatters team has built relationships with the staff at the main referring clinicians' office, visiting them several times per year to discuss collaboration and community input. The

doulas use “Maternity Neighborhoods” software to track encounters and outcomes, and Sales Force software to track referrals and participation.

Why it’s a best practice:

- In 2017, researchers at Wofford College compared 93 BirthMatters patients’ outcomes to a similar group of women who delivered in Spartanburg during the same time frame (2013-16). They found that BirthMatters’ patients had:
 - ~ Lower rate of c-sections - 23.7% compared to 26.6%
 - ~ Lower rates of NICU admissions – 6.5% compared to 11.7%
 - ~ High rates of breastfeeding – 90% compared to the statewide rate of 83%
 - ~ High rates of uptake of long-acting reversible contraception – 68 out of the 93 patients had one placed (73%)
- A [2017 Cochrane review](#) found that the continuous labor support that doulas provide is associated with increased rates of vaginal deliveries and fewer c-sections, shorter labors, improved APGAR scores, and decreased negative feelings about childbirth experiences. Although it was not the highest level of evidence, there was no evidence of harm.²
- In their [2014 consensus statement](#), “Safe Prevention of the Primary Cesarean Delivery,” the American College of Obstetricians and Gynecologists and the Society for Maternal and Fetal Medicine included the following statement, “Published data indicate that one of the most effective tools to improve labor and delivery outcomes is the continuous presence of support personnel, such as a doula... Given that there are no associated measurable harms, this resource is probably underutilized.⁵⁸”

Understanding doulas

Services ~

- **Community-based doula:** A CHW with perinatal health training who provides services through pre- and post-natal home visits, and continuous labor support at the birth site.
- **Birth doula:** A labor support person who is trained in providing continuous physical, emotional, and informational support to a mother and her family during the birth process.
- **Postpartum doula:** A trained support professional who provides information, practical assistance, and emotional support for baby care and postpartum adjustment.

Administrative and payment models ~

- **Community-based doula:** Doulas are salaried employees who provide services at no cost to the participant. Programs often funded through grants or philanthropy.
- **Private-practice doula:** An independent doula who offers doula services to families for a fee that patients pay directly to the doula.
- **Hospital-based doula:** A doula service that is part of a hospital’s labor and delivery unit.



Rural, underserved areas

For over 20 years, SC Office of Rural Health / Family Solutions (SCORH / FS) has provided targeted case management, outreach and health education services to pregnant and postpartum women and their infants in four rural, underserved counties of South Carolina (Orangeburg, Allendale, Bamberg, and Hampton). This region has had significantly higher infant mortality rates than the rest of South Carolina, and are designated as primary care Health Professional Shortage Areas for the low-income population⁵⁹.



All pregnant residents of the service area are eligible for FS services. The FS team identifies potential participants through referrals come from clinical practices, hospitals, social service organizations, schools, others community members, or the women themselves. Coordination and case management services begin at the initial enrollment with a

comprehensive risk screening to assess health and well-being, including both medical and psychosocial factors and conditions. This assessment determines the level of care and health interventions that each client needs.

FS employs a trained team of masters-level social workers (MSWs) and perinatal community health workers (PCHWs) culturally matched to the women and families served. PCHWs spend 18 months conducting approximately 20-24 home visits with each pregnant and postpartum mother, using the “Partners for a Healthy Baby” curriculum from Florida State University. Their MSW home visitors assume the care of mothers who need more intensive counseling. PCHWs have a typical caseload of about 50 clients; PCHWs who are MSWs and see women with higher levels of risk can maintain 25-35 clients at a time.

FS also has the “Opportunity Knocks” fatherhood initiative, to strengthen families by empowering fathers to become financially stable, build self-worth and self-esteem, and improve job readiness.

FS emphasizes active engagement not only between PCHWs and the families they serve, but also with health care providers and community leaders in their areas. The Community Action Network (CAN) includes representatives from local community agencies with similar goals, and the Provider Action Network (PAN) consists of the local medical professionals who see the same population. Both groups meet regularly. The goals for these stakeholder collaboratives are to:

- Monitor FS's service data,
- Identify and address systems weaknesses and gaps, and
- Identify and address community and client issues.

This intentional focus on multi-directional communication helps all of them improve their services to their clients and patients.

The FS team collects participant-level data at various intervals with a web-based case management system. They collect participant demographics and the results of screening tools (including pregnancy history, parenting screenings, and more). It tracks participant appointment status, pregnancy outcome data, and referrals and referral completion data. They also engage an external evaluator to help strengthen their work and assure FS is meeting program requirements and expectations.

Why it's a best practice:

- From 2016-2019, the African-American infant mortality rate among FS program participants decreased from 7 deaths per 1,000 live births to 6.9.
- In 2017, SCORH / Family Solutions program compared its data to birth certificate data on infant mortality among African-American infants. The FS service area had a rate of 4.1 per 1,000 live births, compared to the state rate of 11.9.
- In 2019, 100% of FS participants attended their postpartum visit, which is a major Healthy Start goal.





Latino families

PASOs supports Latino communities throughout South Carolina with CHWs that focus on education, advocacy, and empowerment with families. Their CHWs are all bilingual and bicultural community leaders who go through PASOs' 80-hour CHW training that is accredited by the SC Community Health Worker Credentialing Council. PASOs has a strong Central Office team responsible for training, supervision, evaluation, and program development. The CHWs are mostly employees of affiliate organizations located in areas with high numbers or percentages of Latinos.

The affiliate structure of PASOs is an example of their strong focus on building relationships, both with partner organizations and with community members. Both the Central Office team and CHWs build trust with formal and informal leaders who are trusted in the Latino community, to improve communication and effectiveness of health initiatives.

PASOs has three signature programs:

- “Health Connections” helps individuals and families address social and/or environmental factors, including and not limited to connection to primary health care, nutritional and socio-economic supports, family planning, and other drivers of health through information sharing, education, resource navigation, and connection to resources.
- “Connections for Child Development” employs CHWs to assist parents and caregivers in screening the developmental milestones of their children under five years old using the Ages and Stages Questionnaire (ASQ), and help them get the resources they need to address any challenges identified. The CHWs also provide parents and caregivers with information and tools about how to help children reach their developmental milestones so that they can be well prepared for kindergarten.
- “Strengthening Systems of Care” collaborates with partner organizations to build their capacity to effectively serve Latino families through organizational capacity building. This includes educational offerings; technical assistance, consultation, mentorship and training; organizational assessments of cultural competence and strategies to improve services for Latinos; help building supportive intersystem collaborations to best serve Latino communities.

The PASOs team uses a case management tracking software system which follows individual cases as well as organizations that are working to develop more culturally appropriate and

tailored services. Each case follows a pathway for CHWs to continue and document until they “close the case” on that person’s or organization’s need. This allows them to plan and document follow-up with families to ensure that they accessed the resource they needed and are satisfied with the outcome.

Pasos ~ Steps
Confianza ~ Trust built through interpersonal relationships
Compromiso ~ Deep commitment to service

Why it’s a best practice:

- The Association of Maternal Child Health Programs (AMCHP), which has a review committee of experts in the public health field, designated PASOs Healthy Connections as a “Best Practice” and Connections for Child Development as a “Promising Practice.”
- In 2021, of the almost 6,000 participants that worked with a PASOs Health Connections CHW, 87% reported that they completed the goal that they set. The most common goals achieved included:
 - Renewing Medicaid or other insurance
 - Connecting with healthcare providers (including prenatal care)
 - Selecting a birth control method with reproductive health education
 - Resolving a social determinant of health such as limited material resources (clothes, food, etc.), transportation, housing, education, or legal assistance
- Additionally, nearly 5,300 participants were successfully enrolled in WIC and over 9,500 participants received education related to WIC in 2021.
- Also in 2021, PASOs CHWs connected with almost 3,500 people through 93 in-person community outreach and engagement. Additionally, PASOs increased their social media presence, especially on Facebook. They conducted 73 Facebook Live broadcasts which resulted in 2,417 video views.
- In 2021, PASOs CHWs partnered with 93 organizations. PASOs conducted 50 training events by which over 2,000 professionals received workforce development trainings and technical assistance supports through our capacity building and cultural awareness diversity, equity, and inclusion trainings.
- In 2021, PASOs Connections for Child Development CHWs screened over 700 children for developmental milestones using the ASQ-3 and ASQ-SE2 tools. While completing screenings, families also set goals with the CHWs such as connecting with a pediatrician

or finding a specialist. Of these families, 449 parents achieved their goal in supporting their children's development. Additionally, 126 children were referred to various resources for various assessments. Not only that, but the CHWs trained home visitors across the state in working with Latino families.

In an effort to expand the reach of these successful PCHW models to more families and communities in South Carolina, this guide provides the following information about each model:


- 1. Best practices**
- 2. Ideal fit**
- 3. Resources required**
- 4. Replication and evaluation indicators**



1. Best practices

When initiating a perinatal community health worker (PCHW) program, there are a several best practices to consider. The following are adapted from the [Center for Community Health Alignment’s CHW toolkit](#) and from the Centers for Disease Control and Prevention’s “Including CHWs in Health Care Settings: A Checklist for Public Health Practitioners”⁶⁰.

For four of the five best practices, there are some components to help define and accomplish them. And to demonstrate how that component looks in “real world” implementation, there are some examples of these components in action.



1. Design the PCHW job description and scope of work that align with and take full advantage of PCHW core qualities, skills, and roles.

- ***Non-clinical support providers*** ~ PCHWs help families create a plan of care to address their self-identified social determinants of health. Their focus is on the many social and environmental factors that affect their clients' health. They are not nurses or social workers, and should not be seen as "taking the place" of clinical providers such as those. PCHWs carefully manage their scope of work so as not to interfere or take on tasks they are not qualified to perform.

Best practice in action: BirthMatters doulas' scope of practice includes providing emotional and physical comfort for mothers during labor and delivery. They are not midwives or nurses, and do not interfere with the medical care that those roles provide. They can, in collaboration with the medical team, assist their client to understand medical language, and support their clients' decision-making processes. Respecting the boundaries and autonomy of everyone involved in the childbirth process – the patient, the clinicians, and the doulas – is an essential part of the doula's work.

- ***Full-scope, participant-centered practice*** ~ While it's a best practice to integrate PCHWs into care coordination teams with clinical and social service providers, PCHWs should not be co-opted into inappropriate roles such as administrative tasks or supporting the office's agenda instead of the clients' priorities.

Best practice in action: One of the PASOs Affiliates was interested in improving the proportion of their pregnant patients who received "adequate" prenatal care and approached the PASOs CHW to help them achieve that goal. While prenatal care is important, the PASOs CHW does not impose their office's priorities to the participant's plan of care, but rather allows the participants to set their own agenda based on their understanding of their own needs and opportunities. Concentrating on the office's goals instead of the family's priorities may impede the PCHW from building trust with the participant. The PASOs CHW agreed to share information about the availability of prenatal care, payment plans, transportation, and bilingual staff, but explained to the clinic staff that the client-centered plans of care may concentrate on other things first. If parents successfully address their other social determinants of health, they may be more likely to attend their prenatal care appointments, so it's ultimately a "win-win."

2. Engage and support the best PCHWs

- **Lived experience in the community that you are seeking to help** ~ Having personal knowledge of the community means they understand the struggle, assets, and characteristics of the population, and can more easily establish trust with families. Even better, many PCHWs have also received the services they now offer to other families.

Best practice in action: SCORH / Family Solutions hires from within the communities they serve and, in some cases, hires former recipients of services. This helps with relatability and rapport-building with their participants. For example, one of the PCHWs on the FS team came initially to them as a pregnant high school student who needed their support. She, along with other PCHWs who are former participants, credits the encouragement, mentoring and individual help FS gave her as a key motivator to her success. Being employed at FS, they are now, in turn, helping other young women build their lives, families and careers, and providing a role model for them as well. When they tell their clients, “I’ve been there,” they mean it.

- **Training and certification through an accredited curriculum** ~ CCHA and PASOs offer training that is certified through the [SC Community Health Worker Credentialing Council](#). BirthMatters’ training curriculum is certified by HealthConnect One. SCORH / Family Solutions’ PCHWs are trained internally and accredited with SC CHW Credentialing Council, and also receive trainings from the Maternal Child Health Bureau’s Division of Healthy Start and Perinatal Services.

Best practice in action: PASOs has provided training for its Promotores for years, with particular focus on making connections with participants and supporting their health decision-making. Recently, they have had their training credentialed by the SC Community Health Worker Association’s [Community Health Worker Credentialing Council](#). PASOs Training Manager, Ana Cossio, found that this has deepened the training experience and content for their Promotores. “We spend a lot of time practicing how to build trusting relationships with our participants – that’s the most important part. But now we also cover ethics, values, and specific health issues with interactive activities like role-playing scenarios, World Café,

and discussions. We also pay a lot of attention to Promotores' feedback, which led us to add professional development and team-building activities focused on peer collaboration, leadership, and communication skills. I hear from our team members often that this really helps our Promotores 're-charge their batteries' for our work."

- **Full integration into the workflow of the organization** ~ Familiarize all staff at the PCHW's workplace and partner organizations to the PCHWs' roles and skills. This should include a thorough orientation to what to expect from PCHWs, and how best to collaborate with them.

Best practice in action: A PASOs Affiliate was struggling with how to effectively use the PCHW's services and skills. Because she was not regularly in the office during clinical hours, they weren't comfortable with how to refer patients to her, communicate directly with her, and understand more deeply about how she works with their patients. One of the ways that the PASOs PCHW addressed this situation was to make sure to attend the monthly staff meetings and bimonthly clinical team meetings, and the clinic manager added PASOs as a standing agenda item at those meetings. This regular opportunity to discuss her work and how it fits with the clinical services, as well as having a "touchpoint" opportunity to build relationships with the clinical staff, has helped everyone feel like the PASOs PCHW is more of a part of their team.

- **A living-wage-salary** ~ That CHWs come from the population that they serve is an essential feature of the CHW model. This means CHWs are more likely to come from communities of disadvantage, and may lack economic stability. Therefore, it is important for them to have a consistent and fair salary, as opposed to being paid by the encounter, or by the patient. Salaries must be a living wage, or the program will be vulnerable to high levels of disruptive turnover. *Do not mistake a lack of formal education or formal work experience for lack of PCHW qualifications.* Their "lived experience" with the community they serve is a critical key to their success.

Best practice in action: Some states have instituted doula payment programs that require doulas to register with the state as a provider and receive limited

reimbursements per-delivery or per-encounter. At BirthMatters, however, they have committed to a more reliable salary structure. “Providing steady income and benefits to our community-based doulas is a way to prevent burnout from day one,” says Molly Chappell-McPhail, Director of Advocacy and Expansion. “This work can be heavy, and in addition, the doulas have to be on-call for the deliveries 24 hours a day. It’s important to support the doulas well, because they are the magic of the program.”

- **Reflective supervision, intensive mentoring, and professional development**

PCHW supervisors should invest significant time and energy to supporting PCHWs. PCHWs’ work may involve constant and personal contact with patients and clients at high levels of stress. Because they are out in the community, there is less distance – both physical and emotional – between them and their clients than traditional service or clinical providers. In addition, some PCHWs may have less experience in the professional environment of a social service or clinical provider’s office, and may benefit from extra help adjusting to it.

Best practice in action: At BirthMatters, reflective supervision means modeling the problem-solving support that doulas give their participants. “It’s about believing that you can. These doulas have so much community knowledge, and we invest in them with training and guidance. They know the community side of the work, and our supervisors knows the business side. We can blend those constructively” – Amber Pendergraph-Leak, Executive Director.

3. **Clinical and social service care partners allow the PCHW to participate in case reviews, coordinate care plans, and/or inform clinical services.**

PCHWs offer a valuable service both to families and care providers by being a bridge, or link, between them. This functions best when there are clear and explicit communication plans between the PCHW and care partners, such as regular meetings and frequent, user-friendly methods of contact.

Best practice in action: SCORH / Family Solutions coordinates several stakeholder engagement meetings on a regular basis. One of these meetings is a clinical case review, in which the PCHWs discuss their participant’s care plan with their clinical care provider. This gives both the clinician and the PCHW an opportunity to learn

from each other and better serve their mutual patient. In one case, a clinician's practice was preparing to discharge a pregnant FS participant from their practice due to excessive "no-shows." The PCHW understood that the participant did not feel comfortable enough with their clinical provider to share some of their barriers to attending appointments. In this case, the provider was routinely scheduling prenatal care appointments early in the mornings to fit their clinical practice. This particular patient did not have their own car and relied on the Medicaid van for a ride to the clinic. While this is a valuable service, the pick-up and drop-off times can be highly variable, and they often came at times when the patient had to prepare her other children for school. Working together, the PCHW and prenatal care provider identified later appointment options for the patient and developed better communication with the patients for sharing transportation problems.

4. Unique support for each family

- ***Strength-based, participant-centered care*** ~ The strengths-based approach contrasts with the problem-based approach of much clinical care. PCHWs help the participants identify and draw on their own strengths to meet their needs and challenges. Being participant-centered contrasts with provider-centered care, in which the clinician is the expert that doles out information and recommendations to the patient. The participant-centered approach means that PCHWs encourage participants to identify, prioritize, and address their own determinants of health.

Best practice in action: Center for Community Health Alignment's CHW Core Competency training covers participant-centered concepts, repeatedly practicing the skills. Some CHWs who have experience in helping fields are accustomed to taking the lead on deciding what information and resources to provide to clients and have to adjust to this different approach. "We frequently hear CHWs immediately want to jump into a participant interaction with lots of brochures and advice and plans. We have to practice with them to step back and let the participant lead, first finding and recognizing the strengths and resources that they have. Then we can help out in a supporting role, to provide the referrals and information that the participant identifies that they want. It takes practice, but it's worth it!" -Dom Francis, CCHA Training Coordinator.

- ***In the community, including participants' homes*** ~ PCHWs meet their participants where they are, not expecting the participants to come to them. This means they conduct home visits and community outreach and should not be expected to stay in the office for the majority of their work hours. They also may not always have traditional schedules of Monday-Friday 9:00-5:00; they may better reach their clients on evenings or weekends. This flexibility helps break down the barriers that many families have with addressing their needs or seeking help, including transportation, lack of understanding of resources, intimidation, prohibitive work or childcare schedules, and others.

Best practice in action: SCORH / Family Solutions team members are flexible and willing to work non-traditional hours when necessary. "24-7 we do a lot of community outreach. We do health fairs, set up at stores, partner with the libraries, host community events... A lot of that is on Saturdays. But it's really important – because when they see your face a lot out in the community, they remember" – Tracy Golden, Senior Program Manager. In addition to outreach, sometimes it's necessary to see the participants for one-on-one meetings outside regular office hours, if that's what they need. Even though they have to be flexible, team members collaborate to make sure they stay within their expected number of hours per week, to avoid both human burnout and budget overruns.

5. Evaluation and improvement

- ***Collect, analyze, and report data*** ~ PCHW programs use this information to strengthen and expand their service to the community.

Best practice in action: BirthMatters shared data with evaluators from the Institute for Child Success (ICS) as part of their feasibility study for a "Pay For Success" program with the City of Spartanburg. ICS found BirthMatters "...is promising and has financial benefits," ultimately recommending it for the financing strategy⁶¹. As a result, Spartanburg has included BirthMatters in its innovative "Hello Family" social investment initiative.

- ***Share data and celebrate successes with partners and the community*** ~ As part of the focus on strengths-based work, emphasizing the power of their clients and communities, it's important for PCHW programs to publicly and joyfully share their

triumphs and accomplishments. This can be in the form of graduations, participant family reunions, or recognition luncheons, for some examples.

Best practice in action: SCORH / Family Solutions has held an annual “Infant Mortality Awareness Luncheon” in Orangeburg for 13 years. This has become a major event for the community, routinely attracting over 500 attendees from across the state and region. In addition to inspirational and informational speakers, the event honors families that have completed their programs and received scholarships for their further education. “Family Solutions’ Infant Mortality Awareness Luncheon is one of my favorite things every year; it really brings me back to the meaning and purpose behind what we do. It’s so gratifying to see these amazing mothers get some recognition for all they’ve overcome and accomplished, and keeps me motivated to continue supporting this work.” – Birth Outcomes Initiative member



2. Ideal fit

Community health workers (CHWs) work in all different geographies, settings, and communities. There is no wrong place for a CHW. But there are some situations in which perinatal CHWs (PCHWs) are ideal for addressing challenges:

1. Where there is a **persistent need**, such as high levels of infant mortality or maternal morbidity, that other clinical care or social services haven't been able to adequately address. PCHWs can make stronger connections between families and services, because of the trust they build with both. CCHA developed the [CHW Prioritization Index](#) to help identify the areas of greatest need for CHWs, which includes factors like poverty, uninsured population, healthcare provider availability, and population demographics.

SCORH / Family Solutions began as a Healthy Start program when the federal Health Resources and Services Administration identified African-Americans in Allendale, Bamberg, Hampton, and Orangeburg counties as having an infant mortality rate over 1.5 times that of the national average. All four counties are medically underserved areas for primary care, and Allendale is a "Maternity Care Desert," while Orangeburg and Hampton have "Limited Access to Maternity Care."^{26,62}

2. Where pregnant people and infants lack **continuity of care**. Examples might include:
 - Rural areas that lack obstetric care, where patients may have fewer resources to travel long distances in order to comply with "adequate" care guidelines.
 - Patients who have health risks or financial need that routinely require them to transfer from one clinical practice to another during their care.
 - Cities in which a medical teaching service provides the majority of obstetrical or pediatric care. In these practices, patients may see multiple providers during their care without options to have one main, trusted provider.

In these cases, PCHWs offer the opportunity to be the continuity for the clinical care team, helping the patients trust and access care.

In Spartanburg, one of the few options for prenatal care for many young Medicaid-eligible mothers is a practice in which the majority of clinicians are residency fellows whose clinical assignment changes monthly.

Therefore, the patients may see a different provider at each visit and have a clinician at their labor and delivery whom they've never met. The community-based doulas of BirthMatters build strong relationships with their clients and can help provide stable support.

3. Where there are particularly **vulnerable populations** that need extra care due to their social determinants of health. PCHWs can be the bridge between these communities with clinical and social service providers.

The immigrant Latino community faces several extra barriers to prenatal care, including lower rates of insurance coverage, language challenges, discrimination, unfamiliarity with local medical systems, and fears related to their immigration statuses. PASOs CHWs meet them in their language and cultural practices to help explain and connect them with local resources. When a resource doesn't exist, or isn't culturally appropriate, PASOs advocates for appropriate changes.



3. Resources required

It's critical to ensure perinatal community health worker (PCHW) models of care are fully funded; inadequate resources put the programs' sustainability and effectiveness at risk. Each of the three PCHW models discussed here have unique budgets, but there are many commonalities.

1. **PCHW salaries** – As one of the essential components of PCHW models, PCHWs must have a salary that is considered high enough to prevent frequent turnover and provide a living wage.
2. **Supervisor salaries** – Another essential component, the supportive supervision and mentoring of PCHWs requires dedicated time. Some suggest that supervision should be budgeted at 40% of the CHW salary⁶³.
3. **Office space** – Although PCHWs spend much of their time in the community, they can use, at least, a “landing spot” (such as a cubicle or shared desk) in a physical space. This will help them store materials, meet with colleagues, and focus on data entry and other reporting duties.
4. **Training** – There may be costs associated with PCHWs attending Core Competency Training, as well as specialty trainings in perinatal health. For BirthMatters, there are costs associated with recruiting participants and organizing a community-based doula training, including staff effort, participant stipends, supplies, food, and child care.
5. **Communication equipment** – Because PCHWs are mobile - entering clients' homes and visiting sites in vulnerable communities – they need reliable cell phones and coverage in all the areas that they may be visiting. They also use text and app features to communicate with participants and colleagues.
6. **Computer and / or tablet** – PCHWs use computers to communicate with clients and colleagues, enter data and encounter notes, research information for their clients, and typical office work.
7. **Mileage** –Travel costs for home visits and community activities cover PCHW's gas and car maintenance costs and are often one of the highest costs of a PCHW program.
8. **Technical Assistance** – BirthMatters, SCORH / Family Solutions, and PASOs each have centralized program support teams, which help consistently improve the programs and keep costs low through economy of scale. Each organization that implements one of these models becomes a program affiliate, and benefits of affiliation include:

- Marketing and communications – program branding and coordinated statewide messaging
 - Training and professional development – assistance with the hiring process, new staff orientation and training, continuing education, and regular meetings for updating collective knowledge and sharing resources
 - Evaluation – staff and software to collect and analyze program data, and report findings
 - Coaching and support – personalized consultation to support strategic planning, grant management and fundraising, quality improvement, and problem-solving
- This cost will vary according to the number of team members, program growth, and size of each affiliate, and EACH Collaborative will support sites to plan for sustainability.



4. Data and evaluation

PROCESS INDICATORS			
<i>As a collaborative, EACH member organizations recognize the importance of an intentionally thoughtful implementation process to the ultimate accomplishments and outcomes of PCHW programs. This includes the hiring, training, and mentorship of the PCHWs and their teams, who are the key to the success of this approach.</i>			
	BirthMatters	SCORH / Family Solutions	PASOs
<p>Perinatal community health workers (PCHWs) receive training and certification through a standardized curriculum</p> <p><i>(source: internal report)</i></p>	<p>100% of community-based doulas (CDs) complete the BirthMatters / HealthConnect One training and observation</p>	<p>100% of PCHWs are trained in the Partners for a Healthy Baby curriculum</p> <p>100% of PCHWs pass the SC CHW Credentialing Council certification exam</p>	<p>100% of PASOs Perinatal CHWs (PPCHWs) complete the PASOs CHW Core Competency Training and pass the SC CHW Credentialing Council certification exam</p> <p>100% of PPCHWs attend the following trainings:</p> <ul style="list-style-type: none"> ▪ Perinatal CHW ▪ Connections for Child Development ▪ Ages-and-Stages Questionnaire
<p>PCHWs and their participants have shared lived experiences or exceptionally close, trusted relationships</p> <p><i>(source: internal report)</i></p>	<p>CDs have at least one commonality with 100% of their participants (race, ethnicity, language, neighborhood of origin, or experience)</p>	<p>100% of participants have a culturally- and linguistically-matched PCHW</p>	<p>100% of PPCHWs are bilingual (Spanish-English) and bicultural (significant experience living among Latin@s and US residents and the deep understanding that emerges from that experience)</p>
<p>Organizations provide supportive supervision and professional development for PCHWs</p> <p><i>(source: internal report)</i></p>	<p>BirthMatters leadership provides individual reflective supervision meetings to support CDs' performance and professional development</p>	<p>FS team holds monthly PCHW professional development meetings</p> <p>PCHWs have quarterly meetings with their supervisors</p> <p>PCHWs and other care team members hold monthly case meetings to discuss participant care plan progress</p>	<p>PASOs Mentors and Supervisors provide individual reflective supervision meetings at least monthly</p> <p>PPCHWs participate in at least 90% of monthly statewide network meetings and Connections for Child Development meetings</p> <p>PPCHWs attend the annual <i>promotores'</i> conferences and training events</p>

PROCESS INDICATORS, continued

	BirthMatters	SCORH / Family Solutions	PASOs
<p>Organizations use a data collection system to collect and report on participant outcomes <i>(source: internal report)</i></p>	<p>CDs use Maternity Neighborhoods to collect data on participants’:</p> <ul style="list-style-type: none"> • Birthweights • Breastfeeding • Reproductive Life Plans* • Mode of delivery • NICU admissions • ASQ and depression screens • Closed loop referrals[†] 	<p>PCHWs use Well Family Systems to collect data on participants’:</p> <ul style="list-style-type: none"> • Breastfeeding • Reproductive Life Plans • Birthweights • Mode of delivery • NICU admission • Closed loop referrals 	<p>PASOs PCHWs use Apricot to collect data on participants’:</p> <ul style="list-style-type: none"> • Pregnancy Pathway: <ul style="list-style-type: none"> ▪ SDOH needs and plans ▪ Follow up schedule and plan status ▪ Breastfeeding ▪ NICU Admission • Reproductive Health Pathway: <ul style="list-style-type: none"> ▪ Reproductive Life Plan ▪ Postpartum contraceptive choice & status • Access to Care Pathway: <ul style="list-style-type: none"> ▪ Timing of entry into prenatal care ▪ Attendance at postpartum check-up ▪ Newborn’s medical home ▪ Insurance of parent & child • ASQ Pathway: <ul style="list-style-type: none"> ▪ Infant ASQ scores ▪ Screening result review with primary care giver

* Reproductive Life Plan refers to discussing the following three questions with participants: 1. Do you want more children? 2. How many? 3. When? <https://beforeandbeyond.org/toolkit/reproductive-life-plan-assessment/>

[†] Closed loop referrals means successfully connecting with resources to address their social determinants of health (SDOH) and care needs.

OUTPUT INDICATORS

As a collaborative, EACH member organizations recognize the unique contributions of PCHWs to the well-being of their participants. Each participant co-creates their individualized plan of care with their PCHW to address their particular strengths, needs and social determinants of health (SDOH).

In addition, PCHWs provide a unique bridge between participants and healthcare providers and social services – providing multidirectional communication and insight to improve services and support participants.

	BirthMatters	SCORH / Family Solutions	PASOs
<p>PCHWs provide support to participants that:</p> <ul style="list-style-type: none"> • Takes full advantage of PCHWs’ skills, roles, and qualities • Is participant-centered • Takes place in the community, including participants’ homes • Addresses SDOH <p><i>(source: internal report)</i></p>	<p>CDs initiate cases before the participant reaches 25 weeks’ gestation, and maintain care until they reach six months postpartum</p> <p>CDs maintain a caseload of at least 16-20 births and 24 participants per year</p> <p>CDs conduct weekly prenatal encounters with participants and 15 postpartum home visits over six months</p>	<p>FS team initiates a case within 3 days of receiving the referral</p> <p>PCHWs maintain a caseload of at least 30 participants per year</p> <p>PCHWs conduct approximately 30 visits, in the prenatal and postpartum period, in participants’ home or other community sites</p> <p>PCHWs visit postpartum participants weekly for the first 4 weeks following delivery and then at least once per month</p>	<p>PCHWs support at least 75-80 individuals or families per year</p> <p>At least 80% of participants who successfully complete a “Prenatal Pathway” complete at least one ASQ after delivery</p>
<p>Organizations engage community stakeholders to inform and enhance both PCHW programs and community partners</p> <p><i>(source: internal report)</i></p>	<p>BirthMatters team convenes stakeholders at least once per year</p>	<p>FS team convenes their Community Action Network at least once per quarter</p>	<p>Community partners and/or affiliate sites document at least two changes in their policies or procedures to engage and better serve Latino families based on their partnership with PASOs</p>
<p>Organizations engage healthcare providers to inform both PCHW programs and clinical care</p> <p><i>(source: internal report)</i></p>	<p>Engage at least one prenatal care provider in a formalized participant referral process</p>	<p>FS team conducts monthly case reviews participating providers and MCOs</p>	<p>CHWs collaborate on a regular basis with clinical providers to help advocate and share information for program participants</p>

OUTCOME INDICATORS

EACH Collaborative members work towards the ultimate outcome of improving the health and well-being of families in their population of focus.

All EACH Collaborative organizations	BirthMatters	SCORH / Family Solutions	PASOs
<p>At least 70% of participants initiate breastfeeding at delivery</p> <p><i>(source: SC RFA or participant self-report)</i></p>	At least 70% of participants initiate breastfeeding	At least 60% of participants initiate breastfeeding	At least 75% of participants initiate breastfeeding
<p>At least 80% of participants establish a Reproductive Life Plan</p> <p><i>(source: internal report)</i></p>	At least 80% of participants have a Reproductive Life Plan initiated within 3 months of delivery	<p>At least 80% of participants have a documented Reproductive Life Plan</p> <p>Less than 10% of participants conceive again within 18 months of delivery</p>	<p>At least 80% of participants have a documented Reproductive Life Plan</p> <p>At least 75% of participants implement their postpartum contraception plan</p>
<p>At least 75% of participants are successfully engaged with healthcare providers</p> <p><i>(source: internal report)</i></p>		<p>At least 80% attend a well-woman (including postpartum) visit annually</p> <p>At least 90% of participants attended their most recent scheduled well-child visit</p>	<p>At least 75% of participants attend their postpartum check-up</p> <p>At least 80% of participants have identified a medical home for their newborns within two months of delivery</p>
<p>Other outcomes</p>	<p>At least 75% of participants have a vaginal delivery</p> <p>At least 85% of participants' infants' birthweights will be > 2500 grams</p>	At least 80% of participants report using safe sleep practices	<p>At least 80% of infants whose ASQs result in developmental concerns and need further assessment will be successfully connected to one or more resources.</p> <p>CHWs follow up with the primary care givers of 100% children screened until at least 80% of them have their goals met.</p>

Mentoring and support

The EACH Mom and Baby Collaborative, housed at the Center for Community Health Alignment (CCHA) within the Arnold School of Public Health at the University of South Carolina, exists to support new perinatal community health worker (PCHW) programs across the state. Our partners have years of experience implementing these PCHW initiatives and are committed to assisting new sites to successfully offer their model. This includes helping new sites with:

- Designing implementation
- Allowing potential new partners to observe their program and talk with their team
- Spreading the word – recruiting the right collaborators and informing key stakeholders
- Hiring the right PCHWs
- Supportive supervision for PCHWs
- Identifying sources of data, managing data, and meaningful evaluation

CCHA provides advocacy for sustainable payment mechanisms for PCHWs with health insurers, community partners, and philanthropy.



Endnotes

1. Attipoe-Dorcoo S, Chattopadhyay SK, Verughese J, Ekwueme DU, Sabatino SA, Peng Y. Engaging Community Health Workers to Increase Cancer Screening: A Community Guide Systematic Economic Review. *Am J Prev Med.* 2021;60(4):e189-e197.
2. Bohren MA, Hofmeyr GJ, Sakala C, Fukuzawa RK, Cuthbert A. Continuous support for women during childbirth. *Cochrane Database Syst Rev.* 2017;7:CD003766.
3. Brownstein JN, Chowdhury FM, Norris SL, et al. Effectiveness of Community Health Workers in the Care of People with Hypertension. *Am J Prev Med.* 2007;32(5):435-447.
4. Gogia S, Sachdev H. Home-based neonatal care by community health workers for preventing mortality in neonates in low- and middle-income countries: a systematic review. *Journal of Perinatology.* 2016;36:S54-S72.
5. Kennedy MA, Hatchell KE, DiMilia PR, et al. Community health worker interventions for older adults with complex health needs: A systematic review. *J Am Geriatr Soc.* 2021;69(6):1670-1682.
6. Kim K, Choi JS, Choi E, et al. Effects of Community-Based Health Worker Interventions to Improve Chronic Disease Management and Care Among Vulnerable Populations: A Systematic Review. *Am J Public Health.* 2016;106(4):e3-e28.
7. Lewin S, Munabi-Babigumira S, Glenton C, et al. Lay health workers in primary and community health care for maternal and child health and the management of infectious diseases. *Cochrane Database of Systematic Reviews* 2010(3).
8. McCollum R, Gomez W, Theobald S, Taegtmeier M. How equitable are community health worker programmes and which programme features influence equity of community health worker services? A systematic review. *BMC Public Health.* 2016;16.
9. Norris SL, Chowdhury FM, Le KV, et al. Effectiveness of community health workers in the care of persons with diabetes. *Diabetic Medicine.* 2006;23:544-556.
10. Roland KB, Milliken EL, Rohan EA, et al. Use of Community Health Workers and Patient Navigators to Improve Cancer Outcomes Among Patients Served by Federally Qualified Health Centers: A Systematic Literature Review. *Health Equity.* 2017;1(1):61-76.
11. Scott K, Beckham SW, Gross M, et al. What do we know about community-based health worker programs? A systematic review of existing reviews on community health workers. *Human Resources for Health.* 2018;16(39).
12. Viswanathan M, Kraschnewski JL, Nishikawa B, et al. Outcomes and Costs of Community Health Worker Interventions: A Systematic Review. *Medical Care.* 2010;48(9):17.
13. Allen J, Dennison Himmelfarb C, Szanton S, Frick K. Cost-effectiveness of nurse practitioner/community health worker care to reduce cardiovascular health disparities. *J Cardiovasc Nurs.* 2014;29(4):308-314.
14. Becker DM, Yanek LR, Johnson WR, Jr., et al. Impact of a community-based multiple risk factor intervention on cardiovascular risk in black families with a history of premature coronary disease. *Circulation.* 2005;111(10):1298-1304.
15. Coleman EA, Parry C, Chalmers S, Sung-joon Min P. The Care Transitions Intervention: Results of a Randomized Controlled Trial. *Archives of Internal Medicine.* 2016;166:1822-1828.
16. Edwards RC, Thullen MJ, Korfmacher J, Lantos JD, Henson LG, Hans SL. Breastfeeding and complementary food: randomized trial of community doula home visiting. *Pediatrics.* 2013;132 Suppl 2:S160-166.
17. Gary TL, Bone LR, Levine DM, McGuire M, Saudek C, Brancati FL. Randomized controlled trial of the effects of nurse case manager and community health worker interventions on risk factors for diabetes-related complications in urban African Americans. *Preventive Medicine.* 2003;37:23-32.
18. Kangovi S, Mitra N, Grande D, et al. Patient-Centered Community Health Worker Intervention to Improve Posthospital Outcomes: A Randomized Clinical Trial. *JAMA Internal Medicine.* 2014;174(4):535-543.
19. Kangovi S, Mitra N, Grande D, Huo H, Smith RA, Long JA. Community Health Worker Support for Disadvantaged Patients

- With Multiple Chronic Diseases: A Randomized Clinical Trial. *American Journal of Public Health*. 2017;107:1660-1667.
20. Kangovi S, Mitra N, Grande D, Long JA, Asch DA. Evidence-Based Community Health Worker Program Addresses Unmet Social Needs And Generates Positive Return On Investment. *Health Aff (Millwood)*. 2020;39(2):207-213.
 21. Krieger J, Takaro TK, Song L, Beaudet N, Edwards K. A Randomized Controlled Trial of Asthma Self-management Support Comparing Clinic-Based Nurses and In-Home Community Health Workers: The Seattle–King County Healthy Homes II Projec. *Archives of Pediatric and Adolescent Medicine*. 2009;163(2):141-149.
 22. Perez-Escamilla R, Damio G, Chhabra J, et al. Impact of a community health workers-led structured program on blood glucose control among latinos with type 2 diabetes: the DIALBEST trial. *Diabetes Care*. 2015;38(2):197-205.
 23. Spencer MS, Rosland A-M, Kieffer EC, et al. Effectiveness of a Community Health Worker Intervention Among African American and Latino Adults With Type 2 Diabetes: A Randomized Controlled Trial. *American Journal of Public Health*. 2011;101(12):2253-2260.
 24. Vidoni ML, Lee M, Mitchell-Bennett L, Reininger BM. Home Visit Intervention Promotes Lifestyle Changes: Results of an RCT in Mexican Americans. *Am J Prev Med*. 2019;57(5):611-620.
 25. Smedley BD, Stith AY, Nelson AR, eds. *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington, DC: The National Academies Press; 2003.
 26. *Nowhere to Go: Maternity Care Deserts Across the U.S. (2020 report)*. March of Dimes;2020.
 27. Brooks BA, Davis S, Frank-Lightfoot L, Kulbok PA, Poree S, Sgarlata L. *Building a Community Health Worker Program: The Key to Better Care, Better Outcomes, & Lower Costs*. . Chicago: CommunityHealth Works;2018.
 28. *Community Health Workers: A Review of Program Evolution, Evidence on Effectiveness and Value, and Status of Workforce Development in New England*. New England Comparative Effectiveness Public Advisory Council;2013.
 29. *Cardiovascular Disease Prevention and Control: Interventions Engaging Community Health Workers*. 2015.
 30. *Diabetes Management: Interventions Engaging Community Health Workers. Community Preventive Services Task Force Finding and Rationale Statement*. 2017.
 31. *Cancer Screening: Interventions Engaging Community Health Workers – Breast Cancer; Community Preventive Services Task Force Finding and Rationale Statement*. 2019.
 32. *Cancer Screening: Interventions Engaging Community Health Workers – Cervical Cancer; Community Preventive Services Task Force Finding and Rationale Statement*. 2019.
 33. *Cancer Screening: Interventions Engaging Community Health Workers – Colorectal Cancer; Community Preventive Services Task Force Finding and Rationale Statement*. 2019.
 34. *Diabetes Prevention: Interventions Engaging Community Health Workers. Community Preventive Services Task Force*;2016.
 35. South Carolina Community Assessment Network (SCAN). <https://apps.dhec.sc.gov/Health/scan/scan/index.aspx>. Accessed 5/24/21.
 36. Xu JQ, Murphy SL, Kochanek KD, Arias E. *Mortality in the United States, 2018*. Hyattsville, MD: National Center for Health Statistics;2020.
 37. *Child and infant mortality in England and Wales: 2019*. Office for National Statistics 2021.
 38. *South Carolina Maternal Morbidity and Mortality Review Committee Legislative Brief March 2022*. 2022.
 39. Maternal Mortality Ratio - United Kingdom. 2019; <https://data.worldbank.org/indicator/SH.STA.MMRT?locations=GB>. Accessed July 15, 2021.
 40. *South Carolina Morbidity and Mortality Review Committee Legislative Brief*. 2020.
 41. South Carolina Birth Outcomes Initiative Interactive Dashboard. 2021; <https://boi.ifsreports.com/index.html>. Accessed 01/12, 2022.
 42. Bhutta ZA, Lassi ZS, Pariyo G, Huicho L. *Global*

- Experience of Community Health Workers for Delivery of Health Related Millennium Development Goals: A Systematic Review, Country Case Studies, and Recommendations for Integration into National Health Systems.* Geneva: World Health Organization; 2010.
43. Lassi ZS KR, Bhutta ZA. Community-based Care to Improve Maternal, Newborn, and Child Health. In: Black R, Laxminarayan R, Temmerman M, Walker N, eds. *Reproductive, Maternal, Newborn, and Child Health*. 3 ed. Washington, DC: The World Bank; 2016.
 44. *Strengthening the capacity of community health workers to deliver care for sexual, reproductive, maternal, newborn, child and adolescent health: Technical brief by the H4+ (UNAIDS, UNFPA, UNICEF, UN Women, WHO and the World Bank).* Geneva: World Health Organization; 2015.
 45. *Packages of Interventions for Family Planning, Safe Abortion care, Maternal, Newborn and Child Health.* Geneva: World Health Organization; 2010.
 46. *A Global Review of the Key Interventions Related to Reproductive, Maternal, Newborn and Child Health.* Geneva: The Partnership for Maternal, Newborn & Child Health; 2011.
 47. *Using lay health workers to improve access to key maternal and newborn health interventions in sexual and reproductive health.* Geneva: World Health Organization; 2013.
 48. *Optimizing health worker roles to improve access to key maternal and newborn health interventions through task shifting.* Geneva: World Health Organization; 2012.
 49. Lutenbacher M, Elkins T, Dietrich MS. Using Community Health Workers to Improve Health Outcomes in a Sample of Hispanic Women and Their Infants: Findings from a Randomized Controlled Trial. *Hisp Health Care Int.* 2022;15404153221107680.
 50. Cunningham SD, Riis V, Line L, et al. Safe Start Community Health Worker Program: A Multisector Partnership to Improve Perinatal Outcomes Among Low-Income Pregnant Women With Chronic Health Conditions. *Am J Public Health.* 2020;110(6):836-839.
 51. Pan Z, Veazie P, Sandler M, et al. Perinatal Health Outcomes Following a Community Health Worker-Supported Home-Visiting Program in Rochester, New York, 2015-2018. *Am J Public Health.* 2020;110(7):1031-1033.
 52. Hussaini SK, Holley P, Ritenour D. Reducing Low Birth Weight Infancy: Assessing the Effectiveness of the Health Start Program in Arizona. *Matern Child Health J.* 2011;15:225-233.
 53. Sabo S, Wightman P, McCue K, et al. Addressing maternal and child health equity through a community health worker home visiting intervention to reduce low birth weight: retrospective quasi-experimental study of the Arizona Health Start Programme. *BMJ Open.* 2021;11(6):e045014.
 54. Kozhimannil KB, Attanasio LB, Hardeman RR, O'Brien M. Doula care supports near-universal breastfeeding initiation among diverse, low-income women. *J Midwifery Womens Health.* 2013;58(4):378-382.
 55. Kozhimannil KB HR, Alarid-Escudero F, Vogelsang CA, Blauer-Peterson C, Howell EA. Modeling the Cost-Effectiveness of DoulaCare Associated with Reductions in PretermBirth and Cesarean Delivery. *Birth.* 2016;43(1):20-27.
 56. Hans SL, Thullen M, Henson LG, Lee H, Edwards RC, Bernstein VJ. Promoting Positive Mother-Infant Relationships: A Randomized Trial of Community Doula Support For Young Mothers. *Infant Mental Health Journal.* 2013;34(5):446-457.
 57. Redding S, Conrey E, Porter K, Paulson J, Hughes K, Redding M. Pathways community care coordination in low birth weight prevention. *Matern Child Health J.* 2015;19(3):643-650.
 58. Safe prevention of the primary cesarean delivery. Obstetric Care Consensus No. 1. American College of Obstetricians and Gynecologists. *Obstetrics and Gynecology.* 2014;123:693-711.
 59. Health Professional Shortage Area Find. <https://data.hrsa.gov/tools/shortage-area/hpsa-find>. Accessed June 30, 2021.
 60. Including Community Health Workers (CHWs) in Health Care Settings: A Checklist for Public Health Practitioners. 2019; https://www.cdc.gov/dhdsp/pubs/docs/CHW_Integration_Checklist.pdf. Accessed 5/4, 2021.
 61. *Financing an Innovative Continuum for Families in*

Spartanburg, South Carolina (Results of a Feasibility Study). Institute for Child Success;2016.

62. HRSA Medically Underserved Areas: Find. <https://data.hrsa.gov/tools/shortage-area/mua-find>. Accessed 06/14, 2021.
63. *Developing and Strengthening Community Health Worker Programs at Scale: A Reference Guide for Program Managers and Policy Makers*. Jhpiego Corporation;2013.